	Application No.	Applicant(s)
AL 45 CAR1.954	10/712,121	BURGESS, ANDREW PAUL
Notice of Allowability	Examiner	Art Unit
	Amy J. Sterling	3632
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 3/6/06.		
2. A The allowed claim(s) is/are 1.3.6-14.18.20.21 and 23.		
 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amendn 8. ☑ Examiner's Stateme	atent Application (PTO-152) (PTO-413), e nent/Comment ant of Reasons for Allowance
	9.	

Application/Control Number: 10/712,121

Art Unit: 3632

Notice of Allowance

This is the Notice of Allowance for application number 10/712,121 Deck

Mounting Bracket filed on 11/13/03. Claims 1, 3, 6-14, 18, 20, 21 and 23 are allowed.

Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

The prior art of record does not teach an uninterrupted continuous piece of material with a cross section that is angled having a planar solid separating flange portion, a joist fastening flange portion having a hole, the joist flange portion connected to the separating flange portion which is approximately perpendicular to the separating flange portion, a support flange portion connected to the joist fastening flange portion having an access whole which is aligned with the joist fastening hole and a planar plank fastening flange portion connected to the support flange portion consisting of a free edge on a side opposite the support flange portion and further having a hole therein. The term "consisting of" has the intent to limit the plank fastening flange portion to having a planar surface only.

Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/712,121

Art Unit: 3632

Any inquiry concerning this communication should be directed to Amy J. Sterling at telephone number 571-272-6823. The examiner can normally be reached (M-F 8 a.m.-5:00 p.m.). If attempts to reach the examiner are unsuccessful, the examiner's supervisor, Robert Olszewski at 571-272-6788. The fax machine number for the -Technology center is 571-273-8300 (formal amendments) or 571-273-6823 (informal amendments/communications). Any inquiry of a general -nature or relating to the status of this application should be directed to the Technology Center receptionist at

Page 3

Amy J. Sterling

571-272-3600.

4/26/06